P.03/06

CROMPTON SEAGER TUFTE Application Schalted. 10/0/2,027 Amendment dated July 20, 2005

Reply to Notice of Non-Compliant Amendment dated June 20, 2005

Amendments to the Claims

This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims

- (Currently Amended) A fluid analyzer comprising: 1.
- a pump;
- a concentrator fluidly connected to the pump; and
- a separator fluidly connected to the concentrator; and

wherein the concentrator comprises[[:]] a channel[[;]] and a continuous heater film [[in]] along the channel; and

a controller coupled to the continuous heater film for generating a moving heat pulse in the heater film that moves down the heater film and thus the channel, the moving heat pulse defined by a peak temperature with lower temperatures both downstream and upstream of the peak temperature.

- 2. (Cancel)
- (Currently Amended) The analyzer of claim [[2]] 1, wherein the moving heat 3. zone pulse has a rate of movement approximately the same as a fluid moving through the channel.
 - The analyzer of claim 3, further comprising: 4. (Original) a first detector situated between the pump and the concentrator; and

P.04/06

CROMPTON SEAGER TUFTE Application Schallto. 10/0/2,0/7 Amendment dated July 20, 2005

Reply to Notice of Non-Compliant Amendment dated June 20, 2005

a second detector situated at an output of the separator.

- The analyzer of claim 4, further comprising a third detector 5. (Original) between the concentrator and the separator.
 - The analyzer of claim 5, wherein: 6. (Original) the first detector is a thermal conductivity detector; the second detector is a thermal conductivity detector; and the third detector is a flow sensor.
- (Currently Amended) The analyzer of claim 6, further comprising a controlling 7. mechanism wherein the controller is also connected to the pump, concentrator, separator and detectors.
 - 8-21. (Canceled)
 - 22. (New) A fluid analyzer, comprising:
 - a channel for receiving a gas;
 - a continuous heater film extending along at least part of the channel;
- a controller coupled to the heater film for generating a moving heat pulse that moves down the continuous heater film and thus the channel, the moving heat pulse defined by a peak temperature with lower temperatures both downstream and upstream of the peak temperature.

Amendment dated July 20, 2005 Reply to Notice of Non-Compliant Amendment dated June 20, 2005

- (New) The fluid analyzer of claim 22 further comprising a detector positioned 23. downstream of the heater film.
- (New) The fluid analyzer of claim 22, wherein the moving heat pulse has a rate 24. of movement that is approximately the same as the gas moving through the channel.
- 25. (New) A method for operating a fluid analyzer having a channel, comprising: providing a gas down the channel, wherein the channel includes a continuous heater film extending along at least part of the channel;

generating a moving heat pulse in the continuous heater film that translates down the continuous heater film and thus the channel, the moving heat pulse defined by a peak temperature with lower temperatures both downstream and upstream of the peak temperature.

- 26. (New) The method of claim 25, wherein the moving heat pulse has a rate of movement that is approximately the same as the gas moving through the channel.
 - 27. (New) A fluid analyzer, comprising:
 - a channel for receiving a gas;
 - a first heater element thermally coupled to the channel;
- a second heater element thermally coupled to the channel, wherein the second heater element is downstream of the first heater element and has a length along the channel that is less than the first heater element;

JUL-20-2005 14:38

CROMPTON SEAGER TUFTE Amendment dated July 20, 2005

6123599349

P.06/06

Reply to Notice of Non-Compliant Amendment dated June 20, 2005

a controller coupled to the first heater element and the second heater element, wherein the controller heats the first heater element, and a predetermined time later, heats the second heater element.

- (New) The fluid analyzer of claim 27 wherein the predetermined time is related 28. to a rate of movement of the gas through the channel.
- 29. (New) The fluid analyzer of claim 28 wherein the second heater element is positioned adjacent to an output of the channel.

Respectfully submitted,

Dated: 07-20-05

John G. Shudy, Jr., Reg. No. 31,212

CROMPTON, SEAGER & TUFTE, LLC

1221 Nicollet Avenue, Suite 800 Minneapolis, MN 55403-2402

Telephone:

(612) 677-9050

Facsimile:

(612) 359-9349